

# Actual4Dump



## Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.

365 days free updates. First attempt guaranteed success.

Choose the version that fits your needs	PDF Version	Desktop Test Engine	Online Test Engine
Latest and Up-to-Date exam dumps with real exam questions answers.	✓	✓	✓
Get 12-Months free updates without any extra charges.	✓	✓	✓
Experience same exam environment before appearing in the certification exam.	✗	✓	✓
100% exam passing guarante in the first attempt.	✓	✓	✓
20% discount on more than one license and 30% discount on 5+ license purchases.	✗	✓	✓
100% secure purchase on SSL.	✓	✓	✓
Completely private purchase without sharing your personal info with anyone.	✓	✓	✓

<http://www.actual4dump.com>

Superb Exam Dumps Materials lead you to get your certification easily - Actual4dump

**Exam :** COG-145

**Title :** IBM Cognos 8 BI Multidimensional  
Author

**Vendors :** IBM

**Version :** DEMO

1.A report runs, and is 433 pages long, with 19,010 rows. Many of the rows are blank. The report author uses a filter function to filter nulls, and runs the report again. The result is 143 pages, with 6273 rows, and none of the rows are blank. What filtering style did the report author decide to use?

- A.Conventional
- B.Dimensional
- C.Relational
- D.Functional

Answer:B

2.What is a key difference between the total function and the aggregate function?

- A.The aggregate function can only summarize within a set, and the total function can accept separate members.
- B.The aggregate function is dimensional, and the total function is relational.
- C.The aggregate function will summarize only the currentMeasure, and the total function will summarize any specified measure.
- D.The aggregate function follows the rollup rules of the measure defined in the data source, and the total function adds the total of the specified measure.

Answer:D

3.A report author uses an OLAP cube to create a crosstab with Revenue as a measure, the Product line level in the rows, and the year members (2004-2007) in the columns. How can the report author efficiently determine the difference in revenue between the years 2005 and 2006?

- A.Determine MUNS for the years 2005 and 2006, and then create an expression using the MUNS.
- B.Create a new column as a query calculation, and create the dimensional expression [2006]-[2005].
- C.Create a set of the 2005 and 2006 members and aggregate it.
- D.Ask the modeler to create a calculated category in Transformer and then use it directly.

Answer:B

4.The following expression is used to focus OLAP data in the rows of a report: filter([sales\_and\_marketing].[Order method].[Order method].[Order method type], [Revenue]>150000000). Which of the following statements describes the purpose of the expression?

Revenue	2004	2005	2006	2007
Telephone	178,793,580.36	107,160,284.09	37,199,842.80	17,832,073.81
Sales visit	101,072,721.10	79,721,524.37	73,918,652.38	55,481,936.15
Web	473,771,464.65	881,315,747.68	1,339,714,172.77	1,017,434,523.30
E-mail	95,402,796.21	44,318,886.43	23,701,042.57	16,420,318.95

- A.To return the set of members whose revenue is less than 150000000 for any year.
- B.To return the set of members whose revenue is greater than 150000000 for the sum of the opposite edge.
- C.To filter the cell values by subtracting 150000000 from the revenue for each year and order method type.
- D.To filter the years to show those having revenues greater than 150000000 by order method type.

Answer:B

5.What dimensional function is used to return the members on the level below the Product line level?

- A.Tail
- B.Lag

C.Descendants

D.BottomCount

Answer:C